Pagination in Bootstrap

To create a basic pagination, the .pagination class is added to a <ul> tag. The <li> tags that follow are given the .page-item class while the <a> tag is given the .page-link class.

```
<ul class="pagination">
 <li class="page-item"><a class="page-link"
href="#">Previous</a></li>
 <li class="page-item"><a class="page-link"
href="#">1</a></li>
 <li class="page-item"><a class="page-link"
href="#">2</a></li>
 <li class="page-item"><a class="page-link"
href="#">Next</a></li>
</ul>
```

To indicate the active page, we use the .active class on the <li> tag.

```
...
<li class="page-item active"> <a>1</a></li>
...
```

To indicate unclickable element, we use the .disabled class:

```
...
<li class="page-item disabled"><a
class="page-link" href="#"></a></li>
...
```

We use the size identifiers in the <ul> tag to give the pagination size:

```
<ul class="pagination pagination-sm">
  ...
</ul>
```

Pagination Alignment

We use the .justify-content-center and justify-content-end classes to align pagination to center and right respectively. The classes are typed into the <ul> tag along side .

```
<ul class="pagination justify-content-
center">
  ...
</ul>
```

Breadcrumbs

Breadcrumb is a kind of pagination. Although, it takes the shape of indicating the folder wherein an article is located.

To make a breadcrumb in Bootstrap 4, we use the .breadcrumb and .breadcrumb-item classes.

```
<ul class="breadcrumb">
 <li class="breadcrumb-item"><a
href="#">English Studies</a></li>
 <li class="breadcrumb-item"><a
href="#">Written</a></li>
 <li class="breadcrumb-item"><a
href="#">Formal Letter</a></li>
</ul>
```

Click to Ask Question(s)



MR YOUNG

IGWURUTA | ISIOKPO | ELELE | IKIRI | OMOKU

mryoung.presmaltra.com.ng